

Author Index

- Allen, C.M., see Henry, A. (1127) 168
 Arita, H., see Hanasaki, K. (1127) 233
 Aviram, M., see Fuhrman, B. (1127) 15
 Ayers Testoff, M., see Rudolph, A.S. (1127) 186
- Baker, B.L., see Bell, J.D. (1127) 208
 Bard, J.-M., Delattre-Lestavel, S., Clavey, V., Pont, P., Derudas, B., Parra, H.-J. and Fruchart, J.-C.
 Isolation and characterization of two sub-species of Lp(a), one containing apo E and one free of apo E (1127) 124
 Barter, P.J., see Lagrost, L. (1127) 255
 Bell, J.D., Brown, S.D. and Baker, B.L.
 Reversibility of the activation of soluble phospholipase A₂ on lipid bilayers: Implications for the activation mechanism (1127) 208
 Bochkov, V.N., see Vasylevskaya, V.V. (1127) 221
 Bolard, J., see Mishra, P. (1127) 1
 Brady, R.O., see Goldin, E. (1127) 303
 Brindley, D.N., see Gomez-Muñoz, A. (1127) 49
 Brook, G.J., see Fuhrman, B. (1127) 15
 Brown, S.D., see Bell, J.D. (1127) 208
- Cabot, M.C., see Huang, C. (1127) 242
 Calzada, C., Véricel, E. and Lagarde, M.
 Lower levels of lipid peroxidation in human platelets incubated with eicosapentaenoic acid (1127) 147
 Charton, E., Davies, C. and Macrae, A.R.
 Use of specific polyclonal antibodies to detect heterogeneous lipases from *Geotrichum candidum* (1127) 191
 Chen, Z.-Y., Yang, J. and Cunnane, S.C.
 Gestational hyperlipidemia in the rat is characterized by accumulation of *n* - 6 and *n* - 3 fatty acids, especially docosahexaenoic acid (1127) 263
 Chiodi, P., Maccari, F. and Ramacci, M.T.
 Tissue lipid accumulation by L-aminocarnitine, an inhibitor of carnitine-palmitoyltransferase-2. Studies in intact rats and isolated mitochondria (1127) 81
 Clavey, V., see Bard, J.-M. (1127) 124
 Clay, K.L., see Wheelan, P. (1127) 284
 Connelly, I. and Possmayer, F.
 cDNA sequence and alternative mRNA splicing of surfactant-associated protein C (SP-C) in rabbit lung (1127) 199
 Corongiu, F.P., see Salgo, M.G. (1127) 131
 Cunnane, S.C., see Chen, Z.-Y. (1127) 263
- Dargel, R., see Plonné, D. (1127) 174
 Davidson, F.F. and Dennis, E.A.
 Limitations of phosphatidylcholine/deoxycholate mixtures for the analysis of phospholipase A₂ inhibition and activation: Illustration with annexins (1127) 270
 Davies, C., see Charton, E. (1127) 191
 Day, C.P. and Yeaman, S.J.
 Physical evidence for the presence of two forms of phosphatidate phosphohydrolase in rat liver (1127) 87
 Delattre-Lestavel, S., see Bard, J.-M. (1127) 124
 Dennis, E.A., see Davidson, F.F. (1127) 270
- Derudas, B., see Bard, J.-M. (1127) 124
 Dorset, D.L.
 Binary phase behavior of angiotoxic oxidized cholesterol with cholesterol (1127) 293
 Dorsman, A.N.R.D., see Kilsdonk, E.P.C. (1127) 95
- Franke, H., see Plonné, D. (1127) 174
 Fruchart, J.-C., see Bard, J.-M. (1127) 124
 Fuhrman, B., Brook, G.J. and Aviram, M.
 Proteins derived from platelet α granules modulate the uptake of oxidized low density lipoprotein by macrophages (1127) 15
 Funahashi, T., see Nozaki, S. (1127) 298
- Garelli, N. and Vierling, P.
 Incorporation of new amphiphilic perfluoroalkylated bipyridine platinum and palladium complexes into liposomes: stability and structure-incorporation relationships (1127) 41
 Giusto, N.M., see Ilincheta de Boscherio, M.G. (1127) 105
 Goldin, E., Roff, C.F., Miller, S.P.F., Rodriguez-Lafrasse, C., Vanier, M.T., Brady, R.O. and Pentchev, P.G.
 Type C Niemann-Pick Disease: A murine model of the lysosomal cholesterol lipidosis accumulates sphingosine and sphinganine in liver (1127) 303
 Gomez-Muñoz, A., Hamza, E.H. and Brindley, D.N.
 Effects of sphingosine, albumin and unsaturated fatty acids on the activation and translocation of phosphatidate phosphohydrolases in rat hepatocytes (1127) 49
 Goppelt-Struebe, M. and Rehfeldt, W.
 Glucocorticoids inhibit TNF α -induced cytosolic phospholipase A₂ activity (1127) 163
- Hamza, E.H., see Gomez-Muñoz, A. (1127) 49
 Hanasaki, K. and Arita, H.
 Purification and characterization of a high-affinity binding protein for pancreatic-type phospholipase A₂ (1127) 233
 Henry, A., Allen, C.M. and Stacpoole, P.W.
 Fibrin acid derivatives: effects on the synthesis of isoprenoid lipids in cultured human lymphocytes (1127) 168
 Hoffman, D.R., Thomas, V.L. and Snyder, F.
 Inhibition of cellular transport systems by alkyl phospholipid analogs in HL-60 human leukemia cells (1127) 74
 Holthouse, D.J., see Mortimer, B.-C. (1127) 67
 Huang, C. and Cabot, M.C.
 Phospholipase D activity in nontransformed and transformed fibroblasts (1127) 242
 Huang, L., see Litzinger, D.C. (1127) 249
- Ikeda, I., Imasato, Y., Sasaki, E., Nakayama, M., Nagao, H., Takeo, T., Yayabe, F. and Sugano, M.
 Tea catechins decrease micellar solubility and intestinal absorption of cholesterol in rats (1127) 141
 Ilincheta de Boscherio, M.G. and Giusto, N.M.
 Phosphatidic acid and polyphosphoinositide metabolism in rod outer segments. Differential role of soluble and peripheral proteins (1127) 105
 Imasato, Y., see Ikeda, I. (1127) 141

- Infante, J., see Qin, W. (1127) 57
 Infante, R., see Qin, W. (1127) 57
- Kawasaki, T., see Matsura, T. (1127) 277
 Kaya, K., Sano, T. and Shiraishi, F.
 Tetrahydropyran ring-containing fatty acid-combined taurine (tetrahydroxymyristate) in the taurolipid fraction of *Tetrahymena thermophila* (1127) 22
 Kenrick, M.A., see Mortimer, B.-C. (1127) 67
 Kilsdonk, E.P.C., Dorsman, A.N.R.D. and Van Tol, A.
 Endothelial EA.hy 926 cells can be loaded with cationized LDL, but not with acetylated LDL (1127) 95
 Kondo, Y., Miyazawa, T. and Mizutani, J.
 Detection and time-course analysis of phospholipid hydroperoxide in soybean seedlings after treatment with fungal elicitor, by chemiluminescence-HPLC assay (1127) 227
 Kubo, M., see Nozaki, S. (1127) 298
- Lagarde, M., see Calzada, C. (1127) 147
 Lagrost, L. and Barter, P.J.
 Cholesteryl ester transfer protein promotes the association of HDL apolipoproteins A-I and A-II with LDL: potentiation by oleic acid (1127) 255
 Lin, K.C., see Zeng, K. (1127) 157
 Litzinger, D.C. and Huang, L.
 Amphipathic poly(ethylene glycol) 5000-stabilized dioleoylphosphatidylethanolamine liposomes accumulate in spleen (1127) 249
- Maccari, F., see Chiodi, P. (1127) 81
 Macrae, A.R., see Charton, E. (1127) 191
 Masuno, H., see Sakayama, K. (1127) 153
 Matsura, T., Yamada, K. and Kawasaki, T.
 Antioxidant role of cellular reduced coenzyme Q homologs and α -tocopherol in free radical-induced injury of hepatocytes isolated from rats fed diets with different vitamin E contents (1127) 277
 Matsuzawa, Y., see Nozaki, S. (1127) 298
 Menju, M., see Nozaki, S. (1127) 298
 Mezdoor, H., Nomura, S., Yamamura, T. and Yamamoto, A.
 Concentration and distribution of apolipoproteins A-I and E in normolipidemic, WHHL and diet-induced hyperlipidemic rabbit sera (1127) 116
 Miller, S.P.F., see Goldin, E. (1127) 303
 Mishra, P., Bolard, J. and Prasad, R.
 Emerging role of lipids of *Candida albicans*, a pathogenic dimorphic yeast (1127) 1
 Miyazawa, T., see Kondo, Y. (1127) 227
 Mizutani, J., see Kondo, Y. (1127) 227
 Mortimer, B.-C., Kenrick, M.A., Holthouse, D.J., Stick, R.V. and Redgrave, T.G.
 Plasma clearance of model lipoproteins containing saturated and polyunsaturated monoacylglycerols injected intravenously in the rat (1127) 67
- Nagao, H., see Ikeda, I. (1127) 141
 Nakayama, M., see Ikeda, I. (1127) 141
 Nomura, S., see Mezdoor, H. (1127) 116
 Nozaki, S., Shimomura, I., Funahashi, T., Menju, M., Kubo, M. and Matsuzawa, Y.
 Stimulation of the activity and mRNA level of hepatic triacylglycerol lipase by tri-iodothyronine in HepG2 cells (1127) 298
- Okuda, H., see Sakayama, K. (1127) 153
 Okumura, H., see Sakayama, K. (1127) 153
- Parra, H.-J., see Bard, J.-M. (1127) 124
 Pentchev, P.G., see Goldin, E. (1127) 303
- Plonné, D., Winkler, L., Franke, H. and Dargel, R.
 The visceral yolk sac – an important site of synthesis and secretion of apolipoprotein B containing lipoproteins in the fetal-placental unit of the rat (1127) 174
 Pont, P., see Bard, J.-M. (1127) 124
 Possmayer, F., see Connelly, I. (1127) 199
 Prasad, R., see Mishra, P. (1127) 1
 Prokazova, N.V., see Vasylevskaya, V.V. (1127) 221
- Qin, W., Infante, J., Wang, S.-R. and Infante, R.
 Regulation of HMG-CoA reductase, apoprotein-B and LDL receptor gene expression by the hypocholesterolemic drugs simvastatin and ciprofibrate in Hep G2, human and rat hepatocytes (1127) 57
- Ramacci, M.T., see Chiodi, P. (1127) 81
 Redgrave, T.G., see Mortimer, B.-C. (1127) 67
 Rehfeldt, W., see Goppelt-Strube, M. (1127) 163
 Reichl, D. and Sterchi, J.M.
 Human peripheral lymph lipoproteins are enriched in sphingomyelin (1127) 28
 Reinhart, M., see Voss, A. (1127) 33
 Richardson, U.I. and Wurtman, R.J.
 Base-exchange and cell growth in 3T6 mouse fibroblasts (1127) 99
 Rodriguez-Lafrasse, C., see Goldin, E. (1127) 303
 Roff, C.F., see Goldin, E. (1127) 303
 Rudolph, A.S., Ayers Testoff, M. and Shashidar, R.
 Calorimetric studies of lipid tubule formation from ethanol/water solutions (1127) 186
- Sakayama, K., Masuno, H., Okumura, H., Shibata, T. and Okuda, H.
 Glycosylation of lipoprotein lipase in human subcutaneous and omental adipose tissues (1127) 153
 Salgo, M.G., Corongiu, F.P. and Sevanian, A.
 Peroxidation and phospholipase A₂ hydrolytic susceptibility of liposomes consisting of mixed species of phosphatidylcholine and phosphatidylethanolamine (1127) 131
 Sano, T., see Kaya, K. (1127) 22
 Sasaki, E., see Ikeda, I. (1127) 141
 Sevanian, A., see Salgo, M.G. (1127) 131
 Shashidar, R., see Rudolph, A.S. (1127) 186
 Shibata, T., see Sakayama, K. (1127) 153
 Shimomura, I., see Nozaki, S. (1127) 298
 Shiraishi, F., see Kaya, K. (1127) 22
 Snyder, F., see Hoffman, D.R. (1127) 74
 Sprecher, H., see Voss, A. (1127) 33
 Stacpoole, P.W., see Henry, A. (1127) 168
 Sterchi, J.M., see Reichl, D. (1127) 28
 Stick, R.V., see Mortimer, B.-C. (1127) 67
 Sugano, M., see Ikeda, I. (1127) 141
- Takeo, T., see Ikeda, I. (1127) 141
 Thomas, V.L., see Hoffman, D.R. (1127) 74
 Tkachuk, V.A., see Vasylevskaya, V.V. (1127) 221
- Vanier, M.T., see Goldin, E. (1127) 303
 Van Tol, A., see Kilsdonk, E.P.C. (1127) 95
 Vasylevskaya, V.V., Bochkov, V.N., Prokazova, N.V. and Tkachuk, V.A.
 Characteristics and regulation of ganglioside-induced elevation of free cytoplasmic Ca²⁺ in human blood platelets (1127) 221
 Véricel, E., see Calzada, C. (1127) 147
 Vierling, P., see Garelli, N. (1127) 41
 Voss, A., Reinhart, M. and Sprecher, H.
 Differences in the interconversion between 20- and 22-carbon ($n - 3$) and ($n - 6$) polyunsaturated fatty acids in rat liver (1127) 33

Wang, S.-R., see Qin, W. (1127) 57

Wheelan, P. and Clay, K.L.

Albumin and fatty acid effects on the stimulated production of 1-*O*-hexadecyl-2-acetyl-*sn*-glycero-3-phosphocholine (PAF) by human polymorphonuclear leukocytes (1127) 284

Winkler, L., see Plonné, D. (1127) 174

Wurtman, R.J., see Richardson, U.I. (1127) 99

Yamada, K., see Matsura, T. (1127) 277

Yamamoto, A., see Mezdour, H. (1127) 116

Yamamura, T., see Mezdour, H. (1127) 116

Yang, J., see Chen, Z.-Y. (1127) 263

Yayabe, F., see Ikeda, I. (1127) 141

Yeaman, S.J., see Day, C.P. (1127) 87

Zeng, K. and Lin, K.C.

Observation of the inverted hexagonal phase of lipids by scanning tunneling microscopy (1127) 157

